

New York State Department of Environmental Conservation Division of Water



Report of Noncompliance Event

To: DEC Water Contact SHOHREH KARMIPOVR DEC Region: 3
Report Type: 5 Day Permit Violation Order Violation Anticipated Noncompliance \(\sqrt{\frac{1}{2}} \) Bypass/Overflow Other
SPRTK # 170
SECTION 2 SPDES #: NY-0024689 Facility: ODEWAVENUE CSO REGULATOR
Date of noncompliance: 7/17/2014 Location (Outfall, Treatment Unit, or Pump Station): OUTFALL #017
Description of noncompliance(s) and cause(s): DURING ROUTING INSPECTIONS OF REGULATORS, THE
ODELL AVENUE REGULATOR WAS FOUND TO BE SURCHARGED AND FLOWING OVER THE
OVERFLOW WEIR INTO THE STORM DRAIN THAT DISCHARGES INTO THE HUDSON RIVE
APPROXIMATELY 35,800 GALLONS WAS DISCHARGED.
Has event ceased? (Yes) (No) If so, when? 5 and 00 Was event due to plant upset? (Yes) (No) SPDES limits violated? (Yes) (No
Start date, time of event: 7/17/14, 11:10 (AM) (PM) End date, time of event: 7/17/14, 2:35(AM) (PM)
Date, time oral notification made to DEC? 7/17/14, 12:20 (AM) (PM) DEC Official contacted: MEENA GEORGE
Immediate corrective actions: VACTOR TRUCK WAS DISPATCHED TO CLEAR THE ACCUMUL
DEBRIS AND RAGS THAT CAUSED THE BLOCKAGE AND SURCHARGING.
Preventive (long term) corrective actions: THE COUNTY INSPECTS ITS CSO REGULATORS A
MINIMUM OF ONCE POR WEEK AND AFTER RAIN EVENTS IN ORDER TO DETER
FLOW PROBLEMS WITH THE REGULATORS.
SECTION 3
Complete this section if event was a bypass:
Bypass amount: 35,800 Ga WON S Was prior DEC authorization received for this event? (Yes) (No)
b) pass amount was prior becaution received the mis-event: (105/(10))
DEC Official contacted: Date of DEC approval: /
Describe event in "Description of noncompliance and cause" area in Section 2. Detail the start and end dates and times in Section 2 also.
SECTION 4
Facility Representative: Topola Graney Title: Divertor Date: 7173/14
Facility Representative: <u>Joseph Graney</u> Title: <u>Divector</u> Date: <u>71231</u> 44 Phone #: (\$14) 813 - 5418 Fax #: (9H) 813 - 5460
Phone #: (\$14) \$13 - 5418 Fax #: (117) 813 - 2460
I Certify under penalty of law that this document and all attachments were

Signature of Principal Executive

Officer or Authorized Agent

prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete.

I am aware that there are significant penalties for submitting false information,

including the possibility of fine and imprisonment for knowing violations.